

## 10 References and working papers

---

### 10.1 References

- Amcoff, P. 2000. The role of thiamine in Baltic salmon developing the M74 syndrome. Doctoral thesis. Swedish University of Agricultural Sciences, Department of Pathology, Uppsala, 44 pp.
- Bartel, R. 1987. Preliminary results on restoration of Atlantic salmon (*Salmo salar*) in Poland. Arch.Ryb.Pol., 5,2:201-207.
- Bengtsson, B.-E., Hill, C., Bergman, Å., Brandt, I., Johansson, N., Magnhagen, C., Södergren, A. and Thulin, J. 1999. Reproductive disturbances in Baltic fish: A synopsis of the FiRe project. Ambio 28: 2-8.
- Best, N., Cowles, M.K., Vines, K. 1995. CODA manual version 0.30. MRC Biostatistics Unit, Cambridge.
- Brown, C. and Laland, K. (2001). Social learning and life skills training for hatchery reared fish. *Journal of Fish Biology*: **59**, 471-493.
- Clemen, R. T., and Winkler, R. L. 1999. Combining probability distributions from experts in risk analysis. *Risk Analysis*, 19: 187-203.
- Dahl, J., Dannewitz, J., Karlsson, L., Petersson, E., Löf, A. and Ragnarsson, B. 2004. The timing of spawning migration: implications of environmental variation, life history, and sex. *Can. J. Zool.* 82: 1864-1870.
- Ferrell, W. R. 1985. Combining individual judgments. In: Behavioral decision making, pp. 111-145. Ed. by G. Wright. Plenum, New York.
- Gelman, A., Carlin, J.B., Stern, H.S. and Rubin, R.B. 1995. Bayesian data analysis. Chapman and Hall, London.
- Genest, C. and Zidek, J. (1986). Combining probability distributions: a critique and an annotated bibliography (with discussion). *Statistical Science*, 1: 114-148.
- Harley, S.J. and Myers, R.A. and Dunn, A. 2001b. Is catch-per-unit-effort proportional to abundance? *Can. J. Fish. Aquat. Sci.* 58: 1760-1772.
- IBSFC and HELCOM. 1999. Baltic Salmon rivers – status in the late 1990s as reported by the countries in the Baltic Region. The Swedish Environmental Protection Agency, The Swedish National Board of Fisheries, Stockholm.
- ICES. 1994. Report of the Baltic Salmon and Trout Assessment Working Group. ICES, Doc. C.M. 1994/Assess:15.
- ICES. 1997. Report of the Baltic Salmon and Trout Assessment Working Group. ICES, Doc. C.M. 1997/Assess:11.
- ICES. 2000. Report of the Baltic Salmon and Trout Assessment Working Group. ICES, Doc.CM 2000/ACFM:12.
- ICES. 2002. Report of the Baltic Salmon and Trout Assessment Working Group. ICES, Doc.CM 2000/ACFM:13.
- ICES. 2004. Report of the working group on methods for fish stock assessment. ICES. Doc.CM 2000/ACFM:23, Ref:I.
- ICES 2005. Report of the Baltic Salmon and Trout Working Group (WGBAST) 5-14 April 2005, Helsinki, Finland. ICES CM 2005/ACFM:18.

- ICES. 2006. Report of the Baltic Salmon and Trout Assessment Working Group. ICES, Doc.CM 2006/ACFM:21.
- Ikonen, E., and Kallio-Nyberg, I. 1993. The origin and timing of the coastal return migration of salmon (*Salmo salar*) in the Gulf of Bothnia. ICES CM 1993/M: 34. 9 pp.
- Ikonen, E. 2006. The role of the feeding migration and diet of Atlantic salmon (*Salmo salar* L.) in yolk-sac fry mortality (M74) in the Baltic Sea. The Department of Biological and Environmental Sciences, Faculty of Biosciences, University of Helsinki, Finland and Finnish Game and Fisheries Research Institute, 34 pp.
- International Council for the Exploration of the Sea 2004. Report of the Working Group on methods for fish stock assessment. ICES, Copenhagen.
- International Council for the Exploration of the Sea 2005. Report of the Baltic salmon and trout assessment working group. ICES, Copenhagen.
- Jensen, F.V. 2001. Bayesian networks and decision graphs. Springer, New York.
- Jounela, P., Suuronen, R., Millar, R. B., Koljonen, M-L. Interactions between grey seal (*Halichoerus grypus*), Atlantic salmon (*Salmo salar*), and harvest controls on the salmon fishery in the Gulf of Bothnia. ICES Journal of Marine Science. In Press.
- Jutila, E., Jokikokko, E., Kallio-Nyberg, I., Salonime, I., and Pasanen, P. 2003. Differences in sea migration between wild and reared Atlantic salmon (*Salmo salar* L.) in the Baltic Sea. Fish. Res. 60: 333–343.
- Kadane, J.B., and Terrin, N. 1997. Missing data in the forensic context. J. R. Stat. Soc. A 160(2): 351-357.
- Kallio-Nyberg, I. and Koljonen, M.L. (1997). The genetic consequence of hatchery-rearing on life-history traits of the Atlantic salmon (*Salmo salar* L.): a comparative analysis of sea-ranched salmon with wild and reared parents. *Aquaculture*: **153**: 207-224.
- Karlsson, L. and Karlström, Ö. 1994. The baltic salmon (*Salmo salar*): its history, present situation and future. Dana, 10: 61-85.
- Karlsson, L., Karlström, Ö., and Hasselborg, T. 1994. Timing of the Baltic salmon run in the Gulf of Bothnia – influence of environmental factors on annual variation. ICES CM1994/M: 17. 15 pp
- Karlsson, L., Ikonen, E., Mitans, A. and Hansson, S. 1999. The diet of salmon (*Salmo salar*) in the Baltic sea and connections with the M74 syndrome. *Ambio* 28: 37-42.
- Karlsson, L., Ikonen, E., Mitans, A. and Hansson, S. 1999. The diet of salmon (*Salmo salar*) in the Baltic sea and connections with the M74 syndrome. *Ambio* 28: 37-42.
- Karlsson, L. and Ragnarsson, B. (2003). Estimates of spawning run and river exploitation for the reared salmon stocks in rivers Dalälven and Luleälven in years 2001-02. WGBAST, Karlskrona. Working paper: 9.
- Karlström, Ö. 1999. Development of the M74 syndrome in wild populations of Baltic salmon (*Salmo salar*) in Swedish rivers. *Ambio* 28: 82-86.
- Keinänen, M., Tolonen, T., Ikonen, E., Parmanne, R., Tigerstedt, C., Ryttilahti, J., Soivio, A. and Vuorinen, P. J. 2000. Itämeren lohen lisääntymishäiriö - M74 (English abstract: Reproduction disorder of Baltic salmon (the M74 syndrome): research and monitoring.). In Riista- ja kalatalouden tutkimuslaitos, Kalatutkimuksia - Fiskunders”kningar 165, 38 pp.
- Kell, L.T., Mosqueira, I., Grojean, P., Fromentin, J-M., Garcia, D., Hillary, R., Jardim, E., Mardle, S., Pastoors, M., Poos, J. J., Scott, F & Scott, R. D. 2007. FLR: an open-source framework for evaluation and development of management strategies. ICES Journal of Marine Science, 64: 000-000.

- Koski, P., Pakarinen, M., Nakari, T., Soivio, A. and Hartikainen, K. 1999. Treatment with thiamine hydrochloride and astaxanthine for the prevention of yolk-sac mortality in Baltic salmon fry (M74 syndrome). *Dis. Aquat. Org.* 37: 209-220.
- Leopold MF, Van Damme CJG, Van der Veer HW (1998) Diet of cormorants and the impact of cormorant predation on juvenile flatfish in the Dutch Wadden Sea. *Journal of Sea Research* 40: 93-107
- Lundqvist, H., Öhlund, G., Karlsson, L., Larsson, S., Carlsson, U., Alanära, A., Kiessling, A., Eriksson, L-O., Leonardsson, K., Östergren, J. and Nilsson, J. 2006. Salmon and sea trout migration in Sävarån 2005: Study to determine Sävarån as a potential index river for Swedish forest rivers. Vattenbruksinstitutionen, SLU 2-13.
- Mäntyniemi, S. and Romakkaniemi, A. 2002. Bayesian mark-recapture estimation with an application to a salmonid smolt population. *Canadian Journal of Fisheries and Aquatic Sciences*, 59: 1748-1758.
- Makridakis, S., and Winkler, R. L. 1983. Averages of forecasts: some empirical results. *Management Science*, 29: 987-996.
- McAllister, M.K. and Kirkwood, G.P. (1998b). Using Bayesian decision analysis to help achieve a precautionary approach for managing developing fisheries. *Canadian Journal of Fisheries and Aquatic Sciences*, 55: 2642-2661.
- Michielsens, C.G.J. and McAllister, M.K. 2004. A Bayesian hierarchical analysis of stock-recruit data: quantifying structural and parameter uncertainties. *Canadian Journal of Fisheries and Aquatic Sciences*, 61: 1032-1047.
- Michielsens, C.G.J., McAllister, M.K., Kuikka, S., M., Pakarinen, T., Karlsson, L., Romakkaniemi, A., Perä, I. and Mäntyniemi, S. 2006a. A Bayesian state-space mark-recapture model to estimate exploitation rates within a mixed stock fishery. *Can. J. Fish. Aquat. Sci.* 63: 321-334.
- Michielsens, C.G.J., Mäntyniemi, S. and Vuorinen, P.J. 2006b. Estimation of annual mortality rates caused by early mortality syndromes (EMS) and their impact on salmonid stock-recruit relationships. *Can. J. Fish. Aquat. Sci.* 63: 1968-1981.
- Michielsens, C.G.J., McAllister, M. K., Kuikka, S., Mäntyniemi, S., Rommakaniemi, A., Pakarinen, T., Karlsson, L and Uusitalo, L. Combining multiple Bayesian data analyses in a sequential framework for quantitative fisheries stock assessment. In preparation.
- Michielsens, C. G. J., Dahl, J, Karlsson, L., Romakkaniemi, A., Mäntyniemi, S and Jounela, P. Precautionary biological reference points for Atlantic salmon (*Salmo salar*) stocks within the Baltic Sea. In preparation.
- Morgan, M. G., and Henrion, M. 1990. Uncertainty. A Guide to Dealing with Uncertainty in Quantitative Risk and Policy Analysis. Cambridge University Press.
- Olla, B.L., Davis, M.W. and Ryer, C.H. (1998). Understanding how the hatchery environment represses or promotes the development of behavioral survival skills. *Bulletin of Marine Science*: 62, 531-550.
- Pakarinen, T., Koljonen, M-L. and Michielsens, C. 2006. Interim report evaluating the effects of the selective salmon fishery regulation in force in 2005-2007 on the Gulf of Bothnia wild salmon stocks, and the catch composition of the Gulf of Finland coastal salmon fishery in 2005. Interim report.
- Pettersson, A. and Lignell, Å. 1999. Astaxanthin deficiency in eggs and fry of Baltic salmon (*Salmo salar*) with the M74 syndrome. *Ambio* 28: 43-47.
- Prévost, E., Parent, E., Crozier, W., Davidson, I., Dumas, J., Gudbergsson, G., Hindar, K., McGinnity, P., MacLean, J., and Sættem, L. M. (2003). Setting biological reference points for Atlantic salmon stocks: transfer of information from data-rich to sparse-data situations by Bayesian hierarchical modelling. *ICES Journal of Marine Science*, 60: 1177-1194.

- Romakkaniemi, A., Perä, I., Karlsson, L., Jutila, E., Carlsson, U. and Pakarinen, T. 2003. Development of wild Atlantic salmon stocks in the rivers of the northern Baltic Sea in response to management measures. *ICES J. Mar. Sci.* 60: 329-342.
- Salminen, M, Kuikka, S. and Erkamo, E. 1995. Annual variability in survival of sea-ranched Baltic salmon, *Salmo salar* L.: significance of smolt size and marine conditions. *Fisheries Management and Ecology*: 2, 171-184.
- Schnute, J.T. and Hilborn, R. 1993. Analysis of contradictory data sources in fish stock assessment. *Canadian Journal of Fisheries and Aquatic Science*, 50: 1916-1923.
- Schnute, J.T. and Richards, L.J. 1995. The influence of error on population estimates from catch-at-age models. *Canadian Journal of Fisheries and Aquatic Science*, 52: 2063-2077.
- Spiegelhalter, D.J., Abrams, K.R. and Myles, J.P. (2004). Bayesian approaches to clinical trials and health-care evaluation. Wiley, London.
- Spiegelhalter, D.J., Best, N.G., Carlin, B.P., van der Linde, A. (2002). Bayesian measures of model complexity and fit. *Journal of the Royal Statistical Society - Series B*: 64, 1-34.
- Uusitalo, L., Kuikka, S. and Romakkaniemi, A. 2005. Estimation of Atlantic salmon smolt carrying capacity of rivers using expert knowledge. *ICES Journal of Marine Science*, 62: 708-722.
- Vuorinen, P. J. and Keinänen, M. 1999. Environmental toxicants and thiamine in connection with the M74 syndrome in Baltic salmon (*Salmo salar*). In: B.-E. Bengtsson, C. Hill and S. Nellbring (Eds.), *Nordic Research Cooperation on Reproductive Disturbances in Fish. Report from the Redfish project. TemaNord 1999:530*, pp. 25-37.
- Vuorinen, P. J., Parmanne, R., Vartiainen, T., Keinänen, M., Kiviranta, H., Kotovuori, O. and Halling, F. 2002. PCDD, PCDF, PCB and thiamine in Baltic herring (*Clupea harengus* L.) and sprat (*Sprattus sprattus* (L.)) as a background to the M74 syndrome of Baltic salmon (*Salmo salar* L.). *ICES Journal of Marine. Science*, 59: 480-496.
- Walters, C. and Korman, J. 2001. Analysis of stock-recruitment data for deriving escapement reference points. In *Stock, recruitment and reference points - assessment and management of Atlantic salmon*, pp. 67-94. Ed. by É. Prévost and G. Chaput. INRA editions, Fisheries and Oceans Canada.

## 10.2 Working papers

1. Kangur, M., Viilman, M-L. and Kesler, M. 2006. Estonia national report. Baltic salmon and trout assessment working group, working paper no 1
2. Birzaks, J. 2006. Latvia national report. Baltic salmon and trout assessment working group, working paper no 2.
3. Kesminas, V. 2006. Lithuanian national report. Baltic salmon and trout assessment working group, working paper no 3.
4. Hansen, F. and Pedersen, S. 2006. Danish national report. Baltic salmon and trout assessment working group, working paper no 4.
5. Perä, I., Stridsman, S., Karlsson, L. and Dahl, J. 2006. Swedish national report. Baltic salmon and trout assessment working group, working paper no 5.
6. Pakarinen, T., Romakkaniemi, A., Alapassi, T., Koljonen, M-L., Jokikokko, E., Juhila, E., Saura, A., Söderkultalathi, P., Keinänen, M. and Torvi, I. 2006. Finland national report. Baltic salmon and trout assessment working group, working paper no 6.
7. Pelczarski, W., Bartel, R. and Debowski, P. 2006. Poland national report. Baltic salmon and trout assessment working group, working paper no 7.
8. Titov, S., Mikhelson, S. and Popov, Russian national report. 2006Baltic salmon and trout assessment working group, working paper no 8.