



A BIBLIOGRAPHY OF DISEASES OF CRUSTACEANS AND CLOSELY RELATED
SUBJECTS, SUPPLEMENTARY TO SINDERMANN (1970)

by

James E. Stewart

Department of the Environment
Fisheries and Marine Service
Halifax Laboratory
1707 Lower Water Street
Halifax, Nova Scotia, Canada



This bibliography lists most of the recently published papers concerned with crustacean diseases and related subjects and is put forward as a supplement to the bibliography published by Sindermann (1970) (Bibliography of diseases and parasites of marine fish and shellfish, 1970, Bureau of Commercial Fisheries Tropical Atlantic Biological Laboratory Informal Report No. 11). This bibliography has been updated and replaces the bibliography presented last year (Stewart; J.E. 1973. ICES C.M.DOC.K:45). Some of the citations have been taken from an examination of the title and abstract only, and in a few instances from the title alone. The 1970 ICES reports were not available in Halifax; consequently no ICES citations appear for that year. The several references to Vibrio parahaemolyticus have been included because Krantz, Colwell and Lovelace (1969) reported its frequent isolation from moribund blue crabs, Callinectes sapidus.

- Acton, R. and P.F. Weinheimer. 1974. Hemagglutinins: Primitive receptor molecules operative in invertebrate defense mechanisms. In Invertebrate Immunology. E.L. Cooper (editor), Contemporary Topics in Immunobiology, Vol. 4, pp. 271-282. Plenum Press, New York.
- Acton, R.T., P.F. Weinheimer and E.E. Evans. 1969. A bactericidal system in the lobster Homarus americanus. J. Invert. Pathol. 13: 463-464.
- Aiken, D.E., J.B. Sochasky and P.G. Wells. 1973. Ciliate infestation of the blood of the lobster, Homarus americanus. ICES C.M.DOC.K:46, 2 p. (mimeo).
- Alderman, D.J. 1973. Fungal infection of crawfish (Palinurus elephas) exoskeleton. Trans. Br. Mycol. Soc. 61: 595-597.
- Audoin, J. et M. Leglise. 1971. Note préliminaire sur la présence de Gaffkya homari dans le sang des homards stockés dans les viviers de la région de Roscoff. ICES C.M.DOC.K:26, 6 p. (mimeo).
- Audoin, J. et M. Leglise. 1972. Note sur la présence de Gaffkya homari dans le sang des homards pêchés sur les côtes françaises de la Manche et de l'Atlantique ou stockés dans des viviers en Bretagne. ICES C.M.DOC.K:38, 3 p. (mimeo).
- Ayres, P.A. and G.I. Barrow. 1973. Vibrio parahaemolyticus in English shellfish and shellfish-growing waters. ICES C.M.DOC.K:19, 6 p. (mimeo).
- Ayres, P.A., S. Halls and E. Edwards. 1973. Incidence of Gaffkya homari in natural lobster stocks - Preliminary results of a survey of the English and Welsh fisheries. ICES C.M.DOC.K:20, 3 p. (mimeo).

- Bakke, T.A. 1973. The burn spot disease from the edible crab, Cancer pagurus L., in Norway. Fauna-26: 141-143.
- Bang, F.B. 1970. Disease mechanisms in crustacean and marine arthropods. In A symposium on diseases of fishes and shellfishes. S.F. Snieszko (editor), Am. Fish. Soc. Spec. Publ. 5: 383-404.
- Bang, F.B. 1971. Transmissible disease, probably viral in origin, affecting the amebocytes of the European shore crab, Carcinus maenas. Infect. Immun. 3: 617-623.
- Bang, F.B., J. Audoin et M. Leglise. 1972. Note sur une infection du sang du crabe Cancer pagurus par un cilié. ICES C.M.DOC.K:39 2 p. (mimeo).
- Bang, F.B., J. Audoin and M. Leglise. 1972. Ciliate infection of the blood of the edible crab, Cancer pagurus, in holding tanks in Brittany, France. J. Invert. Pathol. 20: 226-227.
- Baross, J.A. and J. Liston. 1971. Vibrio parahaemolyticus studies. Contr. Univ. Wash. College (Sch.) Fish No. 340: 44-45.
- Barrow, G.I. and D.C. Miller. 1972. Vibrio parahaemolyticus: a potential pathogen from marine sources in Britain. Lancet 1: 485-486.
- Baxter, K.N., R.H. Rigdon and C. Hanna. 1970. Pleistophora sp. (Microsporidia: Nosematidae): a new parasite of shrimp. J. Invert. Pathol. 16: 289-291.
- Bocquet-Vedrine, J. 1972. Conditions ecologiques nécessaires a l'instauration du parasitisme des Cirripedes Opercules par les Rhizocephales. C. R. Hebd. Seances Acad. Sci. Ser. D. Sci. Natur. 275: 67-69.
- Bocquet-Vedrine, J. et J. Parent. 1972. Le parasitisme multiple du Cirripede opercule Balanus improvisus Darwin par le rhizocephale Boschaella balani. Arch. Zool. Exp. Gen. 113: 239-244.
- Bonami, J.R. 1973. Recherche sur la paralysie virale du crustacé décapods Macropipus depurator L. Rev. Trav. Inst. Pêches Marit., Nantes. 37: 387-389.
- Bonami, J.R. and C. Vago. 1971. A virus of a new type pathogenic to crustacea. Experientia 27: 1363-1364.
- Bonami, J.R., C. Vago et J-L. Duthoit. 1971. Une maladie virale chez les crustacés décapodes due à un virus d'un type nouveau. C. R. Hebd. Seances Acad. Sci. Ser. D Sci. Natur. (Paris) 272: 3087-3088.
- Bulnheim, H-P. 1967. Microsporidian infection and sex determination in Gammarus duebeni. Zool. Anz. 30: Suppl. 432-442.
- Bulnheim, H-P. 1970. Influence of microsporidia on the determination and inheritance of sex. Umschau 70: 782-783.
- Bulnheim, H-P. 1971. On the host range of the microsporidian Stempellia milleri. Arch. Protistenk 113: 137-145.
- Cantwell, G.E., J.C. Harshbarger, R.L. Taylor, C. Kenton, M.S. Slatick and C.J. Dawe. 1968. A bibliography of the literature on neoplasms of invertebrate animals. Gann Monograph 5: Experimental animals in cancer research. pp. 57-84.
- Cendrero, O. 1971. Premières données sur le parasitisme de Sacculina carcini Thompson chez Carcinus maenas (L.) dans la baie de Santander. ICES C.M.DOC.K:6, 2 p. (mimeo).
- Cohen, E. 1968. Immunologic observations of the agglutinins of the hemolymph of Limulus polyphemus and Birgus latro. Trans. N.Y. Acad. Sci., Ser. II, 30: 427-433.

- Cook, D.W. and S.R. Lofton. 1973. Chitinoclastic bacteria associated with shell disease in Penaeus shrimp and the blue crab (Callinectes sapidus). J. Wildl. Disease 9: 154-159.
- Cornick, J.W. and J.E. Stewart. 1968. Interaction of the pathogen Gaffkya homari with natural defense mechanisms of Homarus americanus. J. Fish. Res. Bd. Canada 25: 695-709.
- Cornick, J.W. and J.E. Stewart. 1968. Pathogenicity of Gaffkya homari for the crab Cancer irroratus. J. Fish. Res. Bd. Canada 25: 795-799.
- Cornick, J.W. and J.E. Stewart. 1973. Partial characterization of a natural agglutinin in the hemolymph of the lobster, Homarus americanus. J. Invert. Pathol. 21: 255-262.
- Couch, J.A. 1974. Free and occluded virus, similar to Baculovirus, in hepatopancreas in pink shrimp. Nature 247: 229-231.
- Dawe, C.J. 1970. Neoplasms of blood cell origin in poikilothermic animals. A status summary (RV). Bibl. Haematol. 36: 634-637.
- de Bhaldrathe, P. 1973. A record of the ellobiopsid Thalassomyces fagei (Boschma, 1948) parasitic on the euphausiid Meganycitiphanes norvegica (M. Sars, 1856). Bull. Zool. Mus., Univ. Amst. 3: 73-77.
- Delves-Broughton, J. 1974. Preliminary investigations into the suitability of a new chemotherapeutic, Furunace, for the treatment of infectious prawn diseases. Aquaculture 3: 175-185.
- DiGirolamo, R., L. Wiczynski, M. Daley and F. Miranda. 1972. Preliminary observations on the uptake of poliovirus by West Coast shore crabs. Appl. Microbiol. 23: 170-171.
- DiSalvo, L.H. 1972. Stressed coral reef crabs in Hawaii. Mar. Pollut. Bull. 3: 90-91.
- Dybern, B.I. 1969. New damage to Swedish deep sea prawn and other fisheries caused by the medusa, Tima bairdii. ICES C.M.DOC.K:28.
- Egusa, S. and T. Ueda. 1972. A Fusarium sp. associated with Black Gill Disease of the Karuma prawn, Penaeus japonicus Bate. Bull. Jap. Soc. Sci. Fish. 38: 1253-1260.
- Evans, E.E., J.E. Cushing, S. Sawyer, P.F. Weinheimer, R.T. Acton and J.L. McNeely. 1969. Induced bactericidal response in the California spiny lobster Panulirus interruptus. Proc. Soc. Exp. Biol. Med. 132: 111-114.
- Evans, E.E., B. Painter, M.L. Evans, P.F. Weinheimer and R.T. Acton. 1968. An induced bactericidin in the spiny lobster, Panulirus argus. Proc. Soc. Exp. Biol. Med. 128: 394-398.
- Evans, E.E., P.F. Weinheimer, B. Painter, R.T. Acton and M.L. Evans. 1969. Secondary and tertiary responses of the induced bactericidin from the West Indian spiny lobster, Panulirus argus. J. Bacteriol. 98: 943-946.
- Fize, A., J.F. Manier et J. Maurand. 1970. Sur uncas d'infestation du Copepode Eurytemora velox (Lillj) par une levure du genre Metchnikowia (Kamienski). Ann. Parasitol Hum. Comp. 45: 357-363.
- Gibson, F.A. and C. Francis. 1972. Pathological conditions in lobsters (H. gammarus). ICES C.M.DOC.K:2, 2 p. (mimeo).
- Greve, L. 1972. The prawn Sergestes arcticus, a new host for Nectonema munidae (Nematomorpha). Fauna, Blindern 25: 219.
- Guttowa, A. 1968. Amino acids in the tissues of procercoids of Triaenophorus nodulosus (Cestoda) and in the coelomic fluids of their host, Eudiaptomus gracilis (Copepoda) before and after infection. Acta Parasitol. Pol. 15: 313-320.

- Hall, J.L. and D.T. Rowlands, Jr. 1974. Heterogeneity of lobster agglutinins. I. Purification and physicochemical characterization. *Biochemistry* 13: 821-827.
- Hall, J.L. and D.T. Rowlands, Jr. 1974. Heterogeneity of lobster agglutinins. II. Specificity of agglutinin - erythrocyte binding. *Biochemistry* 13: 828-832.
- Herman, S.S., B.C. Coull and L.M. Brickman. 1971. Infestation of harpacticoid copepods (Crustacea) with ciliate protozoans. *J. Invert. Pathol.* 17: 141-142.
- Hubschman, J.H. and J.A. Schmitt. 1969. Primary mycosis in shrimp larvae. *J. Invert. Pathol.* 13: 351-357.
- Johannsen, R., R.S. Anderson, R.A. Good and N.K. Day. 1973. A comparative study of the bactericidal activity of horseshoe crab (Limulus polyphemus) hemolymph and vertebrate serum. *J. Invert. Pathol.* 22: 372-376.
- Johnson, H.C., J.A. Barross and J. Liston. 1971. Vibrio parahaemolyticus and its importance in seafood hygiene. *J. Am. Vet. Med. Assoc.* 159: 1470-1473.
- Johnson, P.T. 1968. An annotated bibliography of pathology in invertebrates other than insects. Burgess Publishing Co., Minneapolis, Minn. 322 p.
- Johnson, P.T. and F.A. Chapman. 1969. An annotated bibliography of pathology in invertebrates other than insects. Supplement. Miscellaneous Publ. 1. Center for Pathobiology. Univ. of California, Irvine. 76 p.
- Johnson, T.W., Jr. 1970. Fungi in marine crustaceans. In A symposium on diseases of fishes and shellfishes. S.F. Snieszko (editor), *Am. Fish. Soc. Spec. Publ.* 5: 405-408.
- Johnson, T.W., J. McN. Sieburth, A. Sastry, C.R. Arnold and M.S. Doty. 1971. Leucothrix mucor infestation of benthic Crustacea, fish eggs, and tropical algae. *Limnol. Oceanogr.* 16: 962-969.
- Kannangara, D.W.W. 1972. On some aspects of the parasites of Ceylonese fresh water crabs. *Ceylon J. Sci. Biol. Ser.* 10: 32-38.
- Komaki, Y. 1970. On the parasitic organisms in a krill, Euphausia similis, from Suruga Bay. *J. Oceanogr. Soc. Jap.* 26: 283-295.
- Kozlowski, F. 1968. Crayfish pest in Kieleckie voivodship. *Med. Wet.* 24: 353-355.
- Krantz, G.E., R.R. Colwell and E. Lovelace. 1969. Vibrio parahaemolyticus from the blue crab Callinectes sapidus in Chesapeake Bay. *Science (Washington)* 164: 1286-1287.
- Kummel, G., H. Claassen and R. Keller. 1970. The ultrastructure of cuticle and epidermis in the crayfish Orconectes limosus during a moulting cycle. *Z. Zellforsch. Microscop. Anat.* 109: 517-551.
- Kuntz, R.E. 1969. Biology of Paragonimus westermani (Kerbert, 1878) Braun, 1899: infection in the crab host (Eriocheir japonicus de Haan) on Taiwan. *Trans. Amer. Microsc. Soc.* 88: 118-126.
- Kuperman, B.I. and A.V. Monakov. 1972. First intermediate hosts of cestodes of the genus Triaenophorus (Pseudophyllidea). *Parazitologiya* 6: 274-282.
- Lightner, D.V. and C.T. Fontaine. 1973. A new fungus disease of the white shrimp Penaeus setiferus. *J. Invert. Pathol.* 22: 94-99.
- Marchalonis, J.J. and G.M. Edelman. 1968. Isolation and characterization of a hemagglutinin from Limulus polyphemus. *J. Mol. Biol.* 32: 453-465.
- Markham, J.C. 1972. Extension of range, a new host record and color notes for the parasitic isopod Leidyia bimini Pearse, 1951 (Isopoda, Bopyridae). *Crustaceana, Suppl.* 3: 190-192.

- Mauchline, J. 1969. Chionostomatid parasites on species of Erytyrops (Crustacea, Mysidacea). *J. Mar. Biol. Ass. UK* 49: 391-392.
- McKay, D. and C.R. Jenkin. 1969. Immunity in the invertebrates. II. Adaptive immunity in the crayfish (Parachaeraps bicarinatus). *Immunology* 17: 127-138.
- McKay, D. and C.R. Jenkin. 1970. Immunity in the invertebrates: the role of serum factors in phagocytosis of erythrocytes by haemocytes of the freshwater crayfish (Parachaeraps bicarinatus). *Aust. J. Exp. Biol. Med. Sci.* 48: 139-150.
- McKay, D. and C.R. Jenkin. 1970. Immunity in the invertebrates: the fate and distribution of bacteria in normal and immunized crayfish (Parachaeraps bicarinatus). *Aust. J. Exp. Biol. Med. Sci.* 48: 599-607.
- McKay, D. and C.R. Jenkin. 1970. Immunity in the invertebrates: correlation of the phagocytic activity of haemocytes with resistance to infection in the crayfish (Parachaeraps bicarinatus). *Aust. J. Exp. Biol. Med. Sci.* 48: 609-617.
- McKay, D., C.R. Jenkin and D. Rowley. 1969. Immunity in the invertebrates. I. Studies on the naturally occurring haemagglutinins in the fluid from invertebrates. *Aust. J. Exp. Biol. Med. Sci.* 47: 125-134.
- McKay, D., C.R. Jenkin and C.J. Tyson. 1973. Effect of endotoxin on resistance of the freshwater crayfish (Parachaeraps bicarinatus) to infection. *J. Infect. Diseases* 128: Suppl. S165-S169.
- McMullen, J.C. and H.T. Yoshihara. 1970. An incidence of parasitism of deepwater king crab, Lithodes aequispina, by the barnacle Briarosaccus callosus. *J. Fish. Res. Bd. Canada* 27: 818-821.
- Meixner, R. 1968. Injuries and regenerates in samples of Crangon crangon (L.) (Crustacea, Natantia). *Arch. Fischereiwiss* 19: 56-61.
- Meixner, R. 1969. Is there a spot disease in Crangon crangon (L.) in the Western Baltic? *ICES C.M.DOC.K:15*.
- Michajlov, W.K. 1972. Formation and evolution of parasitism among Euglenoidina (Flagellata), parasites of Copepoda. *Parazitologiya* 6: 3-7.
- Møllerud, E.E. 1971. On the internal bacterial flora of the European lobster Homarus vulgaris L. and its susceptibility of Gaffkaemia. *ICES C.M.DOC.K:21*, 5 p. (mimeo).
- Newman, M.W. 1970. A possible neoplastic blood disease of blue crabs. *Bibl. Haematol.* 36: 648.
- Newman, M.W. and G.E. Ward, Jr. 1973. An epizootic of blue crabs, Callinectes sapidus, caused by Paramoeba perniciosus. *J. Invert. Pathol.* 22: 329-334.
- Nickelson, R. and C. Vanderzant. 1971. Vibrio parahaemolyticus - a review. (RV). *J. Milk Food Technol.* 34: 447-452.
- Nielsen, S-O. 1970. The effects of the rhizocephalan parasites Peltogaster paguri Rathke and Gemmosaccus sulcatus (Lilljeborg) on five species of Paguridan hosts (Crustacea Decapoda). *Sarsia* 42: 17-32.
- Nowak, W.S.W. 1972. The lobsters (Homaridae) and the lobster fisheries: an interdisciplinary bibliography. *Marine Sciences Res. Lab. Tech. Rept. No. 6*. Memorial University of Newfoundland, St. John's, Newfoundland, Canada. 313 p.
- Paterson, W.D. and J.E. Stewart. 1974. In vitro phagocytosis by hemocytes of the American lobster (Homarus americanus). *J. Fish. Res. Board Can.* 31: 1051-1056.
- Pauley, G.B. 1974. A bibliography of pathology in invertebrates other than insects from 1969-1972. Informal Report No. 24, Oxford Laboratory, U.S. Nat. Mar. Fish. Service. 122 p.

- Pauley, G.B. 1974. Comparison of a natural agglutinin in the hemolymph of the blue crab, Callinectes sapidus, with agglutinins of other invertebrates. In Invertebrate Immunology. E.L. Cooper (editor), Contemporary Topics in Immunobiology, Vol. 4, pp. 241-260. Plenum Press, New York.
- Rabin, H. 1970. Hemocytes, hemolymph, and defense reactions in crustaceans (RV). J. Reticuloendothelial Soc. 7: 195-207.
- Rabin, H. and J.T. Hughes. 1968. Studies on host-parasite relationships in Gaffkemia. J. Invertebr. Pathol. 10: 335-344.
- Ragan, J.G. and D.V. Aldrich. 1972. Infection of brown shrimp, Penaeus aztecus Ives by Prochristianella penaei Kruse (Cestoda: Trypanorhyncha) in southeastern Louisiana Bays. Trans. Am. Fish. Soc. 101: 226-238.
- Rosen, B. 1970. Shell disease of aquatic crustaceans. In A symposium on diseases of fishes and shellfishes. S.F. Snieszko (editor), Am. Fish. Soc. Spec. Publ. 5: 409-415.
- Roth, J.N. and E.S. Iversen. 1971. Attempts to transmit experimentally the microsporidian Thelobania duorarum, parasitising the pink shrimp, Penaeus duorarum. Trans. Am. Fish. Soc. 100: 369-370.
- Sawyer, T.K. 1969. Preliminary study on the epizootiology and host-parasite relationship of Paramoeba sp. in the blue crab, Callinectes sapidus. Proc. Nat. Shellfish. Ass. 59: 60-64.
- Sawyer, T.K., R. Cox and M. Higginbottom. 1970. Hemocyte values in healthy blue crabs, Callinectes sapidus, and crabs infected with the amoeba, Paramoeba perniciosus. J. Invertebr. Pathol. 15: 440-446.
- Seki, H. and J. Fulton. 1969. Infection of marine copepods by Metschnikowia sp. Mycopathol. et Mycol. Applicata 38: 61-70.
- Shimazu, T. 1973. On two metacercariae of the genus Podocotyle from the shrimp, Pandalus goniurus, from Aniwa Bay, Sakhalin, USSR (Trematoda: Opecoelidae). Bull. Jap. Soc. Sci. Fish. 39: 481-487.
- Shimazu, T. and T. Oshima. 1972. Some larval nematodes from euphausiid crustaceans. In Biological Oceanography of the North Pacific Ocean. A.Y. Takenouti (Chief editor). Idemitsu Shoten, Japan. pp. 403-409.
- Sindermann, C.J. 1970. Principal diseases of marine fish and shellfish. Academic Press, New York, 369 p.
- Sindermann, C.J. 1971. Internal defenses of Crustacea: a review. U.S. Fish Wildl. Ser. Fish. Bull. 69: 455-489.
- Sindermann, C.J. and A. Rosenfield. 1967. Principal diseases of commercially important marine bivalve Mollusca and Crustacea. U.S. Fish Wildl. Ser. Fish. Bull. 66: 335-385.
- Sparks, A.K. and C.T. Fontaine. 1973. Host response in the white shrimp, Penaeus setiferus, to infection by the larval Trypanorhynchid cestode, Prochristianella penaei. J. Invert. Pathol. 22: 213-219.
- Sprague, V. 1970. Some protozoan parasites and hyperparasites in marine decapod crustacea. In A symposium on diseases of fishes and shellfishes. S.F. Snieszko (editor), Am. Fish. Soc. Spec. Publ. 5: 416-430.
- Sprague, V. and R.L. Beckett. 1968. The nature of the etiological agent (Paramoeba sp.) of "Gray Crab" disease (in Callinectes sapidus). J. Invertebr. Pathol. 11: 503.
- Sprague, V., L. Beckett and T.K. Sawyer. 1969. A new species of Paramoeba (Amoebida, Paramoebidae) parasitic in the crab Callinectes sapidus. J. Invertebr. Pathol. 14: 167-174.
- Stang-Voss, C. 1971. Studies on the ultrastructure of invertebrate hemocytes: V. On the hemocytes of Astacus astacus (L.) (Crustacea). Z. Zellforsch. Mikrosk. Anat. 122: 68-75.
- Stang-Voss, C. 1974. On the ultrastructure of invertebrate hemocytes: An interpretation of their role in comparative hematology. In Invertebrate Immunology. E.L. Cooper (editor), Contemporary Topics in Immunobiology, Vol. 4, pp. 65-76. Plenum Press, New York.

- Stanier, J.E., M.A. Woodhouse and R.L. Griffin. 1968. The fine structure of the spore of Nosema spelotermæ, a microsporidian parasite of a Speloterma metacercaria encysted in the crab, Carcinus maenas. J. Invert. Pathol. 12: 73-82.
- Stewart, J.E. 1972. The detection of Gaffkya homari, the bacterium pathogenic to lobsters (Genus Homarus). Fish. Res. Bd. Canada, Halifax Laboratory, Halifax, Nova Scotia, New Series Circ. 43, 5 p.
- Stewart, J.E. and B. Arie. 1972. Effect of reduction in salinity on lobsters affected with Gaffkya homari. ICES C.M. DOC.K:34, 2 p. (mimeo).
- Stewart, J.E. and B. Arie. 1973. Paradoxical effects of salinity reductions on lobsters (Homarus americanus) infected with Gaffkya homari. Comp. Biochem. Physiol. 45A: 717-730.
- Stewart, J.E. and B. Arie. 1973. Depletion of glycogen and adenosine triphosphate as major factors in the death of lobsters (Homarus americanus) infected with Gaffkya homari. Can. J. Microbiol. 19: 1103-1110.
- Stewart, J.E., B. Arie, B.M. Zwicker and J.R. Dingle. 1969. Gaffkemia, a bacterial disease of the lobster, Homarus americanus: effects of the pathogen, Gaffkya homari, on the physiology of the host. Can. J. Microbiol. 15: 925-932.
- Stewart, J.E. and J.W. Cornick. 1972. Effects of Gaffkya homari on glucose, total carbohydrates, and lactic acid of the hemolymph of the lobster (Homarus americanus). Can. J. Microbiol. 18: 1511-1513.
- Stewart, J.E., J.W. Cornick, and B.M. Zwicker. 1969. Influence of temperature on gaffkemia, a bacterial disease of the lobster Homarus americanus. J. Fish. Res. Bd. Canada 26: 2503-2510.
- Stewart, J.E., A. Dockrill and J.W. Cornick. 1969. Effectiveness of the integument and gastric fluid as barriers against transmission of Gaffkya homari to the lobster Homarus americanus. J. Fish. Res. Bd. Canada 26: 1-14.
- Stewart, J.E. and D.M. Foley. 1969. A precipitin-like reaction of the hemolymph of the lobster Homarus americanus. J. Fish. Res. Bd. Canada 26: 1392-1397.
- Stewart, J.E., D.M. Foley and R.G. Ackman. 1969. Characteristics of Gaffkya homari, the causative agent of the lobster disease gaffkemia. J. Fish. Res. Bd. Canada 26: 1385-1389.
- Stewart, J.E. and H. Rabin. 1970. Gaffkemia, a bacterial disease of lobsters (Genus Homarus). In A symposium on diseases of fishes and shellfishes. S.F. Snieszko (editor), Am. Fish. Soc. Spec. Publ. 5: 431-439.
- Stewart, J.E. and B.M. Zwicker. 1972. Natural and induced bactericidal activities in the hemolymph of the lobster, Homarus americanus: products of hemocyte-plasma interaction. Can. J. Microbiol. 18: 1499-1509.
- Stewart, J.E. and B.M. Zwicker. 1974. Induction of internal defense mechanisms in the lobster, Homarus americanus. In Invertebrate Immunology. E.L. Cooper (editor), Contemporary Topics in Immunobiology, Vol. 4, pp. 233-239. Plenum Press, New York.
- Stewart, J.E., B.M. Zwicker, B. Arie and G.W. Horner. 1972. Food and starvation as factors affecting the time to death of the lobster Homarus americanus infected with Gaffkya homari. J. Fish. Res. Bd. Canada 29: 461-464.
- Street, D.A. and V. Sprague. 1974. A new species of Pleistophora (Microsporida: Pleistophoridae) parasitic in the shrimp Palaemonetes pugio. J. Invert. Pathol. 23: 153-156.
- Strong, P.L. and R.M. Cable. 1972. Fine structure and development of the metacercarial cyst in Microphallus opacus (Ward, 1894). J. Parasitol. 58: 92-98.

- Symonds, D.J. 1969. Infestation of Nephrops norvegicus L. by Stichocotyle nephropsis Cunningham in British waters. ICES C.M.DOC.K:23.
- Theodoridès, J. et M. Laird. 1970. Quelques eugregarines parasites d'invertébrés marins de St. Andrews (Nouveau-Brunswick). Can. J. Zool. 48: 1013-1016.
- Thomson, W.K. and D.A. Trenholm. 1971. The isolation of Vibrio parahaemolyticus and related halophilic bacteria from Canadian Atlantic shellfish. Can. J. Microbiol. 17: 545-549.
- Toumanoff, C. 1968. Bacterial infections of the crayfish (Last part). Bull. Franc. Piscicult. 229: 102-111.
- Tyson, G.E. 1970. The occurrence of a spirochete-like organism in tissues of the brine shrimp Artemia salina. J. Invert. Pathol. 15: 145-147.
- Tyson, C.J. and C.R. Jenkin. 1973. The importance of opsonic factors in the removal of bacteria from the circulation of the crayfish (Parachanna bicarinatus). Aust. J. Exp. Biol. Med. Sci. 51: 609-615.
- Tyson, C.J. D. McKay and C.R. Jenkin. 1974. Recognition of foreignness in the freshwater crayfish, Parachanna bicarinatus. In Invertebrate Immunology. E.L. Cooper (editor), Contemporary Topics in Immunobiology, Vol. 4, pp. 159-166. Plenum Press, New York.
- Uglow, R.F. 1969. Haemolymph protein concentrations in portunid crabs: III. The effect of Sacculina. Comp. Biochem. Physiol. 31: 969-973.
- Unestam, T. 1968. Some properties of unpurified chitinase from the crayfish plague fungus, Aphanomyces astaci. Physiol. Plantarum 21: 137-147.
- Unestam, T. 1969. Resistance to the crayfish plague in some American, Japanese and European crayfishes. Rep. Inst. Freshwat. Res., Drottningholm 49: 202-209.
- Unestam, T. 1969. On the adaptations of Aphanomyces astaci as a parasite. Physiol. Plantarum 22: 221-235.
- Unestam, T. 1969. On the physiology of zoospore production in Aphanomyces astaci. Physiol. Plantarum 22: 236-245.
- Unestam, T. 1972. On the host range and origin of the crayfish plague fungus. Rep., Inst. Freshwat. Res., Drottningholm 52: 192-198.
- Unestam, T. 1973. Significance of diseases on freshwater crayfish. In Freshwater Crayfish. S. Abrahamsson (editor), Lund. pp. 135-150.
- Unestam, T. 1973. Fungal diseases of Crustacea. Rev. Med. Vet. Mycol. 8: 1-20.
- Unestam, T., C.-G. Nestell and S. Abrahamsson. 1972. An electrical barrier for preventing migration of freshwater crayfish in running water. A method to stop the spread of the crayfish plague. Rep., Inst. Freshwat. Res., Drottningholm 52: 199-203.
- Unestam, T. and L. Nyhlen. 1974. Cellular and noncellular recognition of and reactions to fungi in crayfish. In Invertebrate Immunology. E.L. Cooper (editor), Contemporary Topics in Immunobiology, Vol. 4, pp. 189-206. Plenum Press, New York.
- Unestam, T. and J.E. Nylund. 1972. Blood reactions in vitro in crayfish against a fungal parasite, Aphanomyces astaci. J. Invertebr. Pathol. 19: 94-106.
- Unestam, T. and E. Svensson. 1971. Physiological variation in strains of Aphanomyces astaci. Physiol. Plantarum 25: 414-416.
- Unestam, T. and D.W. Weiss. 1970. The host-parasite relationship between freshwater crayfish and the crayfish disease fungus Aphanomyces astaci: responses to infection by a susceptible and a resistant species. J. Gen. Microbiol. 60: 77-90.

- Uzmann, J.R. and E.B. Haynes. 1968. A mycosis of the gills of the pandalid shrimp, Dichelopandalus leptocerus. J. Invertebr. Pathol. 12: 275-277.
- Van Arman, J.A. and A.C. Smith. 1970. The pathobiology of an epibranchial bopyrid isopod in a shrimp, Hippolysmata wurdemanni. J. Invertebr. Pathol. 15: 133-135.
- Vanderzant, C. and R. Nickelson. 1972. Survival of Vibrio parahaemolyticus in shrimp tissues under various environmental conditions. Appl. Microbiol. 23: 34-37.
- Vey, A. et C. Vago. 1972. Recherches sur les maladies actuelles des crevisses en France. Ann. Hydrobiol. 3: 59-64.
- Vik, R. 1969. Aphanomyces plague in crayfish - can we avoid it in Norway? Fauna 22: 188-193.
- Villella, J.B., E.S. Iversen and C.J. Sindermann. 1970. Comparison of the parasites of pond-reared and wild pink shrimp (Penaeus duorarum Burkenroad) in south Florida. Trans. Amer. Fish. Soc. 99: 789-794.
- Vivarès, C.P. 1971. Etude des parasites des Crustacés Décapodes Brachyours: Nemertes et larves de Cestodes. Ann. Parasitol. Hum. Comp. 46: 1-9.
- Vivarès, C.P. et M. Rubió. 1969. Protozoa parasites de Crustacea Decapoda Branchyura de la côte nord-est de l'Espagne. Publ. Inst. Biol. Apl. Barcelona 47: 111-129.
- Vojtkova, L. 1971. Helminthofauna of aquatic invertebrates. III. Cestoda, Nematoda, Acanthocephala. Vestn. Cesk. Spol. Zool. 35: 146-155.
- Voronin, V.N. 1971. New data on microsporidiosis of the crayfish, Astacus astacus (L. 1758). Parazitologiya 5: 186-191.
- Walker, M.H. and G.W. Hinsch. 1972. Ultrastructural observations of a microsporidian protozoan parasite in Libinia dubia (Decapoda). I. Early spore development. Z. Parasitenkd. 39: 17-26.
- Walton, M. and H.H. Hobbs, Jr. 1971. The distribution of certain entocytherid ostracods on their crayfish hosts. Proc. Acad. Nat. Sci. Phila. 123: 87-103.
- Weinheimer, P.F., R.T. Acton, S. Sawyer and E.E. Evans. 1969. Specificity of the induced bactericidin of the West Indian spiny lobster Panulirus argus. J. Bacteriol. 98: 947-948.
- Weinheimer, P.F., E.E. Evans, R.T. Acton and B. Painter. 1969. Induced response of the lobster, Panulirus argus. Federation Proc. 28: 752.
- Weinheimer, P.F., E.E. Evans, R.M. Stroud, R.T. Acton and B. Painter. 1969. Comparative immunology: natural hemolytic system of the spiny lobster, Panulirus argus. Proc. Soc. Exp. Biol. Med. 130: 322-326.
- Westman, K., J. Sutela, J. Kitti and O. Sumari. 1973. The occurrence of the crayfish plague, Aphanomyces astaci Schikora, in Finland in the years 1893-1972. Tiedonantoja 2: 1-54.
- Williams, A.B. and W.S. Brown. 1972. Notes on structure and parasitism of Munida iris A. Milne Edwards (Decapoda, Galatheidae) from North Carolina, U.S.A. Crustaceana (Leiden) 22: 303-308.